



20.8kg

NET WEIGHT




Up To 40km
RANGE (7.8Ah)



25km/h
MAX SPEED



110kg
LOAD CAPACITY




250W
MOTOR



Model	P2-A	P2-B	P2-S
MSRP	/	/	/
Frame	AM60B Magnesium Alloy	AM60B Magnesium Alloy	AM60B Magnesium Alloy
Battery	36V 7.8Ah	36V 7.8Ah	36V 7.8Ah
Motor	250W	250W	Front Hub Motor 250W
Max Speed	25km/h	25km/h	25km/h
Max Range	40km	40km	40km
Sensor	Speed Sensor	Torque Sensor	Torque Sensor
Brake	Mechanical Disc Brake	Hydraulic Disc Brake (2-Piston)	Hydraulic Disc Brake (2-Piston)
Tire	16*2.125 inch	16*2.125 inch	16*2.125 inch
Chain / Belt	Chain	Chain	Belt
No. of gears	Single-Speed, 12T	Single-Speed, 12T	Gates, 22T
Max load	110kg	110kg	110kg
Net weight/Gross weight	20.5kg/26kg	20.5kg/26kg	22kg/27.5kg
Product size	1380*570*1060mm	1380*570*1060mm	1380*570*1060mm
Folded Size	695*515*715mm	695*515*715mm	695*515*715mm
Packing size	830*430*560mm	830*430*560mm	830*430*560mm

PRODUCT SIZE



A - Total Length 1360mm

B - Handlebar Height 1040mm

C - Minimum height of seat 840mm

D - Extended height of seat 110mm

E - Handlebar Length 570mm

F - Wheelbase 975mm

G -Five channels 140mm

H - Standover Height 590mm

I - Wheel Diameter 405mm

J - Seat center to head 700-720mm

FOLDED SIZE AND PACKING SIZE

