





20*1.95 inch

TIRE

 Up To 50km
RANGE (7.8Ah)

 25km/h
MAX SPEED


 110kg
LOAD CAPACITY

 250W
MOTOR



Model	P4-A	P4-B	P4-S
MSRP	/	/	/
Frame	AM60B Magnesium Alloy	AM60B Magnesium Alloy	AM60B Magnesium Alloy
Battery	36V 7.8Ah	36V 7.8Ah	36V 7.8Ah
Motor	250W	250W	Front Hub Motor 250W
Max Speed	25km/h	25km/h	25km/h
Max Range	50km	50km	50km
Sensor	Speed Sensor	Torque Sensor	Torque Sensor
Brake	Mechanical Disc Brake	Hydraulic Disc Brake (2-Piston)	Hydraulic Disc Brake (2-Piston)
Tire	20*2.125 inch	20*2.125 inch	20*2.125 inch
Chain / Belt	Chain	Chain	Belt
No. of gears	7 SPEED	7 SPEED	Gates, 19T
Max load	110kg	110kg	110kg
Net weight/Gross weight	23kg/28kg	23kg/28kg	23kg/28kg
Product size	1580*570*1100mm	1580*570*1100mm	1580*570*1100mm
Folded Size	830*405*645mm	830*405*645mm	830*405*645mm
Packing size	830*430*620mm	830*430*620mm	830*430*620mm

PRODUCT SIZE



A - Total Length 1580mm

B - Handlebar Height 1100-1200mm

C - Min and max Seat Height 720-850mm

D - Handlebar Length 570mm

E - Wheelbase 1030mm

F - Five channels 50mm

G - Wheel Diameter 505mm

H - Seat center to head 650mm

FOLDED SIZE AND PACKING SIZE

