




 **Up To 130km**
RANGE (20Ah)

 **25km/h**
MAX SPEED


 **150kg**
LOAD CAPACITY

 **250W**
MOTOR



Model	P5T-A	P5T-B	
Speed	25km/h	25km/h	
Battery	36V 20Ah	36V 20Ah	
Motor	250W 50N·m	Mid-drive 250W 110N·m	
Frame	AM60B Magnesium Alloy	AM60B Magnesium Alloy	
Brake	Hydraulic disc brakes	Hydraulic disc brakes	
Front Shock	Upright single-shoulder oil-spring suspension	Upright single-shoulder oil-spring suspension	
Rear Shock	Oil-spring shock absorber with adjustable damping	Oil-spring shock absorber with adjustable damping	
Net Weight	40kg	40kg	
Gross Weight	50kg	50kg	
Tire	27.5*2.4inch	Max gradient	25°
Size	1907*720*1121 mm	Packing Size	1650*340*830cm
40HQ	129	20GP	45

PRODUCT SIZE



A - Total Length 1950mm

E - Maximum Seat Height 980mm

I - Wheel Diameter 710mm

B - Handlebar Height 1130mm

F - Chain Stay Length 537mm

J - Head Tube Length 152mm

C - Wheelbase 1190mm


G - Standover Height 780mm

K - Handlebar Length 720mm

D - Minimum Seat Height 850mm

H - Top Tube Length 540mm

PACKING SIZE



PXID

WWW.PXID.COM

PXID

EBIKE PST

Load capacity:
Package size:
N.W:
G.W:



1540mm

825mm

350mm















